Amendment to the Claims:

5

- 1. (Cancelled)
- 2. (Currently Amended) [[A]] <u>The</u> method as claimed in claim [[1]] <u>4</u>, wherein the allocation unit transmits an encoded light pulse.
- 3. (Currently Amended) [[A]] The method as claimed in claim [[1]] 4, wherein the allocation unit transmits an encoded radio signal.
- 4. (Currently Amended) A method of allocating network elements to a wireless networkas claimed in claim 1, wherein an allocation unit transmits a code to a first network element, which causes the first network element to transmit its ID together with the code so that the latter can be received by a second network element which allocates the first network element to its network and wherein the activation of [[NE-2]] the second network element to receive the encoded ID from [[NE-1]] the first network element takes place by receiving the code from the allocation unit.
- 5. (Currently Amended) [[A]] The method as claimed in claim [[1]] 4, wherein the allocation unit [[can]] receives the encoded ID from [[NE-1]] the first network element and transmit it to [[NE-2]] the second network element.
- 6. (Currently Amended) [[A]] The method as claimed in claim [[1]] 4, wherein the allocation unit [[can]] transmits a second code which causes [[a]] the first network element to leave the network of the second network element.
- 7. (Currently Amended) [[A]] The method as claimed in claim [[1]] 4, wherein the allocation unit [[can]] transmits a second code which causes the second network element, which has a network administration function, to break up the network.

- 8. (Currently Amended) [[A]] The method as claimed in claim 6, wherein the second code for removing network elements or for breaking up the network consists in includes the first code being transmitted over a longer time period or a number of times.
- 9. (Currently Amended) An allocation unit for allocating network elements to a wireless network, comprising:
- a transmitter which transmits, in a user-controlled manner, a code to a first network element, which code causes the first network element to transmit its ID together with the code so that the latter can be received byto a second network element which allocates the first network element to its network.

5

- 10. (Currently Amended) [[An]] <u>The allocation unit as claimed in claim 9, wherein the transmitter comprises:</u>
- a device for transmitting an encoded light pulse and/or an encoded radio signal.
- 11. (Currently Amended) [[An]] The allocation unit as claimed in claim 9, wherein the code which causes the first network element to transmit its ID together with the code causes the second network element to be ready to receive the encoded first network element ID from [[NE-1]] the first network element.
- 12. (Currently Amended) [[An]] The allocation unit as claimed in claim 9, wherein there is additionally further including:

 a receiver for receiving which receives encoded IDs.
- 13. (Currently Amended) [[An]] <u>The</u> allocation unit as claimed in claim 9, wherein there is additionally further including:
- one or more devices for displaying the which display a respective operating state.

- 14. (Currently Amended) [[An]] <u>The allocation unit as claimed in claim 9, wherein there is additionally further including:</u>
- a transmitter which transmits, in a user-controlled manner, a second code which causes the first network element to leave the network of the second network element or which causes the second network element, which has a network administration function, to break up the network.

5

5

10

15. (New) A system for allocation medical network devices to a wireless network comprising:

an allocation unit which transmits a encoded code in response to a user command;

- a unassigned first medical network device which receives the encoded code and transmits an encoded first ID medical network device with the encoded code in response to the reception of the encoded code;
- a second medical network medical device, assigned to an existing network and having network administration functions, which second medical network device receives the encoded first medical network device ID and assigns the first medical network device to the existing network in response to the reception of the encoded code from the allocation unit.
- 16. (New) The system as claimed in claim 15, wherein the allocation unit transmits an encoded light pulse.
- 17. (New) The system as claimed in claim 15, wherein the allocation unit transmits an encoded radio signal.